

# M12 Y-Splitter A-coded 4 pin 1 x female to 2 x male

## Description

This industrial Y-splitter by Delock can be used to connect various components with M12 connectors, e.g. for machine control or automation.



**Item no. 60852**

EAN: 4043619608522

Country of origin: China

Package: Zip poly bag

## Technical details

- Connectors:
  - 1 x M12 female A-coded 4 pin
  - 1 x M12 male A-coded 4 pin
  - 1 x M12 male A-coded 4 pin
- Housing material: PA66
- Contacts gold-plated
- Operating voltage: max. 250 V
- Current: max. 4 A
- Operating temperature: -25 °C ~ 80 °C
- Protection rating: IP67
- Thread size: M12 x 1.0 mm
- Colour: black
- Dimensions (LxWxH): ca. 54.7 x 35.0 x 14.5 mm

## Package content

- M12 Y-splitter

## Images



## General

|                   |      |
|-------------------|------|
| Protection class: | IP67 |
|-------------------|------|

## Interface

|              |                              |
|--------------|------------------------------|
| Connector 1: | 1 x M12 female A-coded 4 pin |
| Connector 2: | 1 x M12 male A-coded 4 pin   |
| Connector 3: | 1 x M12 male A-coded 4 pin   |

## Technical characteristics

|                        |                |
|------------------------|----------------|
| Operating voltage:     | 250 V          |
| Operating temperature: | -25 °C ~ 80 °C |
| Maximum current:       | 4 A            |

## Physical characteristics

|                   |         |
|-------------------|---------|
| Housing material: | PA66    |
| Length:           | 54.7 mm |
| Width:            | 35.0 mm |
| Height:           | 14.5 mm |
| Colour:           | black   |

## Manufacturer information

|             |                   |
|-------------|-------------------|
| Street      | Beeskowdamm 13/15 |
| Postal code | 14167             |
| City        | Berlin            |
| Country     | Deutschland       |
| E-Mail      | info@delock.de    |
| Website     | www.delock.de     |

