

M12 Y-Splitter A-coded 4 pin 1 x female to 1 x female and 1 x male

Description

This industrial Y-splitter by Delock can be used to connect various components with M12 connectors, e.g. for machine control or automation.



Item no. 60855

EAN: 4043619608553

Country of origin: China

Package: Zip poly bag

Technical details

- Connectors:
 - 1 x M12 female A-coded 4 pin
 - 1 x M12 female A-coded 4 pin
 - 1 x M12 male A-coded 4 pin
- Housing material: PA66
- Contacts gold-plated
- Operating voltage: max. 250 V
- Current: max. 4 A
- Operating temperature: -25 °C ~ 80 °C
- Protection rating: IP67
- Thread size: M12 x 1.0 mm
- Colour: black
- Dimensions (LxWxH): ca. 54.7 x 35.0 x 14.5 mm

Package content

- M12 Y-splitter

Images



General

Protection class:	IP67
-------------------	------

Interface

Connector 1:	1 x M12 female A-coded 4 pin
Connector 2:	1 x M12 female A-coded 4 pin
Connector 3:	1 x M12 male A-coded 4 pin

Technical characteristics

Operating voltage:	250 V
Operating temperature:	-25 °C ~ 80 °C
Maximum current:	4 A

Physical characteristics

Housing material:	PA66
Length:	54.7 mm
Width:	35.0 mm
Height:	14.5 mm
Colour:	black

Manufacturer information

Street	Beeskowdamm 13/15
Postal code	14167
City	Berlin
Country	Deutschland
E-Mail	info@delock.de
Website	www.delock.de

