

M8 Y-Splitter A-coded 4 pin 1 x male to 1 x male and 1 x female

Description

This industrial Y-splitter by Delock can be used to connect various components with M8 connectors, e.g. for machine control or automation.



Item no. 60858

EAN: 4043619608584

Country of origin: China

Package: Zip poly bag

Technical details

- Connectors:
 - 1 x M8 male A-coded 4 pin
 - 1 x M8 male A-coded 4 pin
 - 1 x M8 female A-coded 4 pin
- Housing material: PA66
- Contacts gold-plated
- Operating voltage: max. 60 V
- Current: max. 3 A
- Operating temperature: -40 °C ~ 80 °C
- Protection rating: IP67
- Thread size: M8 x 1.0 mm
- Colour: black
- Dimensions (LxWxH): ca. 46.1 x 26.0 x 10.0 mm

Package content

- M8 Y-splitter

Images



General

Protection class:	IP67
-------------------	------

Interface

Connector 1:	1 x M8 male A-coded 4 pin
Connector 2:	1 x M8 male A-coded 4 pin
Connector 3:	1 x M8 female A-coded 4 pin

Technical characteristics

Operating voltage:	60 V
Operating temperature:	-40 °C ~ 80 °C
Maximum current:	3 A

Physical characteristics

Length:	46.1 mm
Width:	26.0 mm
Height:	10.0 mm
Colour:	black

Manufacturer information

Street	Beeskowdamm 13/15
Postal code	14167
City	Berlin

Country

Deutschland

E-Mail

info@delock.de

Website

www.delock.de

