# Cable Gland M22 x 1.5 mm 90° angled grey

## Description

This cable gland by Delock allows a watertight seal to the housing for the lead-through of cables and electrical tubes. The angled design is perfectly suited to use the cable gland in installation areas with limited space.

### IP68 dust and waterproof

The cable gland also offers increased protection against dirt and moisture.

### Multifunctional application

Due to the robust design, cable glands are often used in automation and machine systems.



**Item no. 60878**

EAN: 4043619608782

Country of origin: China

Package: Zip poly bag

## Technical details

- Thread size: M22 x 1,5 mm
- Thread length: 10 mm
- Spanner width: 30 mm
- Protection class: IP68
- Cable diameter:
  min.: 10 mm
  max.: 14 mm
- Operating temperature: -40 °C ~ 100 °C
- Material: Nylon PA
- Colour: grey RAL 7035

## Package content

- Cable gland

All names and symbols mentioned here are property of the respective producer. Printing errors, changes and errors excepted. **© 2026 by Delock. All rights reserved.**

## Images





All names and symbols mentioned here are property of the respective producer. Printing errors, changes and errors excepted. **© 2026 by Delock. All rights reserved.**

## General

| | |
|---|---|
| Protection class: | IP68 |
| Style: | angled 90° |

## Technical characteristics

| | |
|---|---|
| Operating temperature: | -40 °C ~ 100 °C |

## Physical characteristics

| | |
|---|---|
| Thread length: | 10 mm |
| Material: | nylon PA |
| Colour: | grey RAL 7035 |
| Thread type: | M22 |
| Spanner width: | 30 mm |
| Cable diameter: | min.: 10 mm<br>max.: 14 mm |

### Manufacturer information


| | |
|---|---|
| Street | Beeskowdamm 13/15 |
| Postal code | 14167 |
| City | Berlin |
| Country | Deutschland |
| E-Mail | info@delock.de |
| Website | www.delock.de |


All names and symbols mentioned here are property of the respective producer. Printing errors, changes and errors excepted. **© 2026 by Delock. All rights reserved.**