Cable Gland with strain relief M25 x 1.5 mm grey

Description

This cable gland by Delock allows a watertight seal to the housing for the lead-through of cables and electrical tubes.

Additional protection through strain relief

Due to the bend protection spiral, the flexible cables are secured and protected from excessive bending, e.g. in the case of moving machine parts.

IP68 dust and waterproof

The cable gland also offers increased protection against dirt and moisture.

Multifunctional application

The robust design is ideal for use in automation, the robotics industry and machinery.



Item no. 60894

EAN: 4043619608942

Country of origin: China

Package: Zip poly bag

Technical details

- Thread size: M25 x 1.5 mm
- Thread length: 10 mm
- Spanner width: 32 mm
- Protection class: IP68
- Cable diameter:
  min.: 13 mm
  max.: 18 mm
- Operating temperature: -40 °C ~ 100 °C
- Material: Nylon PA
- Colour: grey RAL7035

Package content

- Cable gland

All names and symbols mentioned here are property of the respective producer. Printing errors, changes and errors excepted. **© 2026 by Delock. All rights reserved.**

Images









All names and symbols mentioned here are property of the respective producer. Printing errors, changes and errors excepted. **© 2026 by Delock. All rights reserved.**

General

Protection class:	IP68

Technical characteristics

Operating temperature:	-40 °C ~ 100 °C

Physical characteristics

Thread length:	10 mm
Material:	nylon PA
Colour:	grey RAL 7035
Thread type:	M25
Spanner width:	32 mm
Cable diameter:	min.: 13 mm max.: 18 mm

Manufacturer information

Street	Beeskowdamm 13/15
Postal code	14167
City	Berlin
Country	Deutschland
E-Mail	info@delock.de
Website	www.delock.de

All names and symbols mentioned here are property of the respective producer. Printing errors, changes and errors excepted. **© 2026 by Delock. All rights reserved.**