

USB Type-C™ male to DC 5.5 x 2.1 mm Cable compatible with Starlink Mini, 2 m grey

Description

This cable by Delock ensures a reliable power supply for compatible Starlink systems. It is ideal for use in motorhomes, campervans, boats, solar installations and other mobile applications.

Please Note

A USB-C™ power adapter with USB Power Delivery (PD) and a minimum power output of 65 W (20 V / 3.25 A) should be used. The cable supports USB-C™ PD with a maximum input power of 100 W (20 V / 5 A) and is therefore also compatible with higher-power USB-C™ PD power adapters up to 100 W. If using a power bank, it must support the USB Power Delivery (PD) protocol and provide an output voltage of 20 V. USB-C™ chargers without PD functionality or with an output power of less than 65 W (20 V / 3.25 A) are not suitable.



2 m

Item no. 91820

EAN: 4043619918201

Country of origin: China

Package: Zip poly bag

Technical details

- Connectors:
1 x USB Type-C™ male
1 x DC 5.5 x 2.1 mm male compatible with Starlink
- Compatible with Starlink Mini
- USB Type-C™ male connector supports USB PD up to 100 watts (20 V / 5 A)
- Protection rating: IP67
- Cable gauge: 18 AWG
- Cable diameter: ca. 4.1 mm
- Cable jacket material: PVC
- Colour: grey
- Length: ca. 2 m

Package content

- Cable

Images



General

Protection class:	IP67
-------------------	------

Interface

Connector 1:	1 x USB Type-C™ male
Connector 2:	1 x DC 5.5 x 2.1 mm male compatible with Starlink

Physical characteristics

Cable gauge:	18 AWG
Material:	PVC
Length:	2 m
Colour:	grey
Cable diameter:	4.1 mm

Manufacturer information

Street	Beeskowdamm 13/15
Postal code	14167
City	Berlin
Country	Deutschland
E-Mail	info@delock.de
Website	www.delock.de

