

PCI Express x4 Card to 4 x USB 5 Gbps USB Type-A Quad Channel

Description

The PCI Express card by Delock expands a PC by **four external USB 5 Gbps ports**. Different USB devices such as USB flash memory, card reader, external enclosure etc. can be connected. A maximum **data transfer rate of up to 5 Gbps** can be reached.

Quad Channel

The card has four FL1100 chipsets one for each USB connector. This ensures the data transfer rate of 5 Gbps on all ports when used at the same time.



Item no. 91846

EAN: 4043619918461

Country of origin: Taiwan,
Republic of China

Package: Box

Technical details

- Connectors:
external:
4 x USB 5 Gbps Type-A female
internal:
1 x PCI Express x4, V2.0
1 x SATA 15 pin power connector
1 x 4 pin power connector
- Chipset: Fresco Logic FL1100, Pericom PI7C9X2G
- Data transfer rate up to 5 Gbps
- Electrical power per port: max. 4.5 watt (5 V / 900 mA)
- Bootable
- Supports UASP
- Supports eXtensible Host Controller Interface (xHCI) specification 1.1
- USB ports with screw holes (M2 x 0,4)
- IOI item number: U3X4-PCIE4XE315

System requirements

- Linux Kernel 6.11 or above
- Windows 10/10-64/11

- Windows Server 2022
- PC with one free PCI Express x4 / x8 / x16 / x32 slot

Package content

- PCI Express card USB 5 Gbps
- User manual

Images



General

Function:	bootable UASP
-----------	------------------

Interface

External:	4 x USB 5 Gbps Type-A female
Internal:	1 x PCI Express x4, V2.0 1 x 4 pin power connector 1 x SATA 15 pin power connector

Technical characteristics

Electrical power per port:	USB Type-A: max. 4.5 watt (5 V / 0.9 A)
Chipset:	Fresco Logic FL1100 Pericom PI7C9X2G
Data transfer rate:	5 Gbps

Manufacturer information

Street	Beeskowdamm 13/15
Postal code	14167
City	Berlin
Country	Deutschland
E-Mail	info@delock.de
Website	www.delock.de

