

Heat shrink tube box, Shrinkage ratio 2:1, 4 m x 25.4 mm transparent

Description

This heat shrink tube by Delock is used to protect and to insulate cables, electrical tubes or wires. Under the effect of heat, the sleeve completely encloses the cable and shrinks. This protects the cable from the effects of the influence of weather and mechanical damage.

Practical dispenser box

The handy dispenser box is ideal for transport and enables a clear and orderly storage. The heat shrink tube remains free of dirt and dust. In addition, easy unrolling and individual cutting is possible.

Multifunctional application

The heat shrink tube can be used e.g. in a workshop or in the industry.



Item no. 19937

EAN: 4043619199372

Country of origin: China

Package: Box

Technical details

- Length: ca. 4 m
- Diameter: ca. 25.4 mm
- Shrinkage ratio 2:1
- Shrinking temperature: 70 °C ~ 125 °C
- Environmental temperature: -55 °C ~ 125 °C
- Material: polyolefin
- Colour: transparent

Package content

- Heat shrink tube box

Images



Technical characteristics

| | |
|------------------------|----------------|
| Shrinking temperature: | 70 °C ~ 125 °C |
| Shrinkage ratio: | 2:1 |

Physical characteristics

| | |
|-----------|-------------|
| Material: | polyolefin |
| Diameter: | 25.4 mm |
| Length: | 4 m |
| Colour: | transparent |

Manufacturer information

Street Beeskowdamm 13/15
 Postal code 14167
 City Berlin
 Country Deutschland
 E-Mail info@delock.de
 Website www.delock.de

