


Delock M.2 Test Board for 8 x M.2 NVMe Key M SSD with SFF-8643 connector

Description

This Delock test board enables the connection of NVMe M.2 SSDs via the SFF-8643 interface. This **high-quality test board** allows to test and monitor up to **eight NVMe SSDs simultaneously**, making it ideal for developers, technicians and IT professionals.

Perfect test tool

With this test card, the performance and reliability of NVMe SSDs can be evaluated efficiently. The eight M.2 key M interfaces enable **flexible test configurations**, while the robust design ensures durability. Each M.2 slot has a **separate power switch**, allowing targeted testing of individual SSDs with ease. An indispensable tool for anyone working with NVMe SSDs.



Item no. 61073

EAN: 4043619610730

Country of origin: China

Package: Box

Technical details




- Connectors:
8 x SFF-8643 female
8 x M.2 key M slot
1 x 6 pin power connector
- Interface: PCIe Rev. 4.0
- Supports M.2 modules in format 22110, 2280, 2260, 2242 and 2230 with key M or key B+M based on PCIe
- Maximum height of the components on the module: 1.5 mm, application of double-sided assembled modules supported
- 8 x LED indicator
- 9 x On / Off switch
- Supports NVM Express (NVMe)
- Bootable, ex UEFI version 2.3.1
- Humidity: 0 ~ 90 %
- Operating temperature: 5 °C ~ 50 °C
- Storage temperature: -10 °C ~ 65 °C
- Dimensions (LxWxH): ca. 317 x 168 x 29 mm

Package content

- M.2 test board
- 8 x M.2 mounting material

- User manual

Images



General

Function:	Bootable, ex UEFI 2.3.1
LED indicator:	8 x
Slot:	PCIe
Supported module:	M.2 modules in format 22110, 2280, 2260, 2242 and 2230 with key M or key B+M based on PCIe
Maximum height of the components on the module:	1.5 mm application of double-sided assembled modules supported

Interface

Connectors:	8 x SFF-8643 female 8 x M.2 key M slot 1 x 6 pin power connector
-------------	--

Technical characteristics

Storage temperature:	-10 °C ~ 65 °C
Operating temperature:	5 °C ~ 50 °C
Humidity:	0 ~ 90 %

Physical characteristics

Length:	317 mm
Height:	29 mm

Manufacturer information

Street	Beeskowdamm 13/15
Postal code	14167
City	Berlin
Country	Deutschland
E-Mail	info@delock.de
Website	www.delock.de