

DisplayPort to Mini DisplayPort Adapter 8K with HDR with HDR and HDCP Support - bidirectional

Description

This DisplayPort adapter by Delock **converts the Mini DisplayPort interface into a DisplayPort interface.**

Bidirectional function

The adapter supports **bidirectional signal transmission**, allowing maximum flexibility of use.



Item no. 61074

EAN: 4043619610747

Country of origin: China

Package: Retail Box

Technical details

- Connectors:
 - 1 x mini DisplayPort female
 - 1 x DisplayPort male
- Bidirectional signal transmission
- DisplayPort 2.1 specification
- Contact surface: gold-plated
- Transmission of audio and video signals
- Resolution up to 7680 x 4320 @ 120 Hz (depending on the system and the connected hardware)
- Supports HDR10
- Supports HDCP 1.4 and 2.3
- Colour: black
- Dimensions (LxWxH): ca. 46.4 x 19.5 x 8.5 mm

Package content

- Adapter

Images



General

Function:	HDR / HDR10
Specification:	DisplayPort 2.1

Interface

Connector 1:	1 x mini DisplayPort female
Connector 2:	1 x DisplayPort male

Technical characteristics

Maximum screen resolution:	7680 x 4320 @ 120 Hz
Signal transmission:	video audio Bidirectional

Physical characteristics

Length:	46.4 mm
Width:	19.5 mm
Height:	8.5 mm
Colour:	black

Manufacturer information

Street	Beeskowdamm 13/15
Postal code	14167
City	Berlin
Country	Deutschland
E-Mail	info@delock.de
Website	www.delock.de