

Adapter USB 2.0 Type-A male to Serial RS-232 RJ45 female black

Description

This USB 2.0 to RS-232 adapter by Delock connects the RS-232 RJ45 console ports of CISCO routers, switches, access points and other compatible devices to PC or laptop via a RJ45 cable.

Please Note

The RJ45 cable is not included in the delivery content.



Item no. 63290

EAN: 4043619632909

Country of origin: China

Package: White Box

Technical details

- Connectors:
 - 1 x USB 2.0 Type-A male
 - 1 x serial RS-232 RJ45 female shielded
- Chipset: FTDI FT232RL
- Signals: CTS(1), DSR(2), RXD(3), GND(4), GND(5), TXD(6), DTR(7), RTS(8)
- Compatible with USB 3.0, USB 2.0, and USB 1.1 full speed 12 Mbps
- Suitable for various CISCO devices
- Data transfer rate up to 230.4 Kbps
- Material: ABS
- Dimensions (LxWxH): ca. 54 x 24 x 21 mm


System requirements

- Windows 10/10-64/11
- Linux Kernel 2.6 or above
- PC or laptop with a free USB Type-A port

Package content

- USB 2.0 to 1 x RS-232 RJ45 adapter
- User manual

Images



General

Function:	Plug & Play
Specification:	RS-232 (EIA / TIA) USB 1.1 USB 2.0
Supported operating system:	Linux Kernel 2.6 or above Mac OS 10.9 or above Windows 10 32-Bit Windows 10 64-Bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit Windows 11

Interface

Connector 1:	1 x USB 2.0 Type-A male
Connector 2:	1 x RJ45 jack

Technical characteristics

Chipset:	FTDI FT232RL
Data transfer rate:	230.4 Kbps
FIFO:	128 byte 256 Byte
Data transmission:	asynchronous full duplex

Physical characteristics

Material:	ABS
Length:	54.0 mm
Width:	24 mm
Height:	21.0 mm

Colour:

black

Manufacturer information

Street	Beeskowdamm 13/15
Postal code	14167
City	Berlin
Country	Deutschland
E-Mail	info@delock.de
Website	www.delock.de

