


# Adapter M.2 Key B male to SATA 7 pin vertical

## Description

This adapter by Delock **converts the M.2 interface into a SATA 7 pin interface**. Thus it can be used to connect e.g. a SATA SSDs to the M.2 interface. Through the predetermined breaking point, the length can be **shortened from 80 mm to 60 mm or 42 mm**. With the help of the included cable a 2.5" HDD / SSD can be connected.



**Item no. 64290**

EAN: 4043619642908

Country of origin: China

Package: Box



## Technical details

- Connectors:
  - 1 x M.2 key B+M male
  - 1 x SATA 6 Gb/s 7 pin plug
  - 1 x 4 pin power male (5 V)
- Interface: SATA
- Form factor: M.2 2280
- Suitable for M.2 slot with key M or B based on SATA
- Data transfer rate up to 6 Gb/s
- Output power: max. 1.5 A / 5 V
- Dimensions (LxWxH): ca. 83 x 22 x 10 mm

## Package content

- Adapter
- Connection cable, length ca. 30 cm
- M.2 mounting material
- Screwdriver
- User manual

## Images



30 cm



## General

Form factor:	M.2 2280
Specification:	SATA 6 Gb/s
Slot:	SATA

## Interface

Connector:	1 x 4 pin power connector male 1 x M.2 key B+M male 1 x SATA 6 Gb/s 7 pin plug
------------	--

## Technical characteristics

Data transfer rate:	6 Gb/s
---------------------	--------

## Physical characteristics

Cable length:	30 cm
Length:	83 mm
Width:	22 mm
Height:	10 mm

## Manufacturer information

---

Street	Beeskowdamm 13/15
Postal code	14167
City	Berlin
Country	Deutschland
E-Mail	info@delock.de
Website	www.delock.de