

# HDMI EDID Emulator 8K bidirectional

## Description

This adapter by Delock **emulates a monitor** so that the signal source does not switch off the signal or change the resolution, even without a connected monitor. The adapter contains a standard set of **EDID/DDC data**, but it can also read and save the data of a connected monitor.

## Bidirectional function

The adapter supports bidirectional function, allowing maximum flexibility of use. The EDID data can be provided **via the HDMI plug or the HDMI jack**.



**Item no. 64321**

EAN: 4043619643219

Country of origin: China

Package: Retail Box

## Technical details

- Connectors:  
Input: 1 x HDMI-A male  
Output: 1 x HDMI-A female
- Bidirectional signal transmission
- Resolution up to 7680 x 4320 @ 60 Hz (depending on the system and the connected hardware)
- Supports HDR
- Supports HDCP
- No external power supply needed
- LED indicator
- Push-button
- Metal housing
- Colour: anthracite
- Dimensions incl. connector (LxWxH): ca. 54.8 x 23.3 x 10.8 mm

## Package content

- EDID emulator
- User manual

## Images



## General

LED indicator:	1 x
----------------	-----

## Interface

Output:	1 x HDMI-A female
Input:	1 x HDMI-A male

## Technical characteristics

Maximum screen resolution:	7680 x 4320 @ 60 Hz
Voltage supply:	No external power supply needed

## Physical characteristics

Housing colour:	anthracite
Housing material:	Aluminium
Length:	54.8 mm
Width:	23.3 mm
Height:	10.8 mm

## Manufacturer information

---

Street	Beeskowdamm 13/15
Postal code	14167
City	Berlin
Country	Deutschland
E-Mail	info@delock.de
Website	www.delock.de