


Delock Converter Mini PCIe male to PCI Express x1 Slot with flexible cable and USB Port

Description

This converter by Delock changes the **Mini PCIe interface** into a **PCI Express slot**. Different **PCI Express cards** can be inserted into the PCIe slot.

Additional USB Type-A port

Different USB devices can be connected to the USB interface.



Item no. 64345

EAN: 4043619643455

Country of origin: China

Package: Box

Technical details



- Connectors:
 - 1 x Mini PCIe male
 - 1 x PCI Express x1, V1.1
 - 1 x USB 2.0 Type-A female
 - 1 x Floppy 4 pin power plug
 - 1 x 4 pin power connector
- PCI Express Rev. 1.1
- Interface: PCIe + USB
- Form factor Mini PCIe: half size and full size
- Bootable
- Power supply:
 - 3.3 V (for PCIe slot) from Mini PCIe
 - 5 V (for USB) from 4 pin power connector
 - 12 V (for PCIe slot) from 4 pin power connector
- Dimensions (LxWxH):
 - PCIe board: ca. 60 x 42 x 15 mm
 - Mini PCIe board: ca. 51 x 30 x 3 mm

Package content

- Converter board M.2

- Mini PCIe board
- 2 x flat cable, length ca.: 1 x 15 cm, 1 x 25 cm
- Power cable
- Screws
- User manual

Images



General

Form factor:	Mini PCIe full size Mini PCIe half size
Function:	bootable

Interface

Connectors:	1 x 4 pin power connector 1 x Mini PCIe male 1 x PCI Express x1, V1.1 1 x USB 2.0 Type-A female 1 x Floppy 4 pin power plug
-------------	---

Physical characteristics

Cable length:	15 cm 25 cm
---------------	----------------

Manufacturer information

Street	Beeskowdamm 13/15
Postal code	14167
City	Berlin
Country	Deutschland
E-Mail	info@delock.de
Website	www.delock.de