

PCI Express 3.0 x4 to M.2 Key M Adapter with fan and cable 10 cm

Description

This adapter by Delock enables the connection of an M.2 SSD in 2280, 2260, 2242 and 2230 format. It allows the possibility to connect an **M.2 SSD based on PCIe**.

Integrated fan and RGB LED illumination

The adapter features a built-in, low-noise **fan that actively cools the SSD**, ensuring stable performance even during prolonged or data-intensive operations. In addition, the **integrated RGB LED** provides visually appealing lighting with an **automatic colour transition**, ideal for open test setups or modding environments.

Flexible mounting with magnetic feet

Magnetic feet on the bottom allows for **easy and flexible attachment** to magnetic surfaces – **without the need for screws or tools**. This enables quick positioning or repositioning of the adapter as needed.



Item no. 64357

EAN: 4043619643578

Country of origin: China

Package: Box

Technical details

- Connectors:
 - 1 x PCI Express x4 male
 - 1 x M.2 key M slot
- Supports M.2 modules in format 2280, 2260 and 2242 with key M or key B+M based on PCIe
- Maximum height of the components on the module: 1.5 mm, application of double-sided assembled modules supported
- Supports PCI Express 3.0 protocol
- Bootable, ex UEFI version 2.3.1
- 4 x magnetic base
- 1 x 30 mm fan
- 1 x LED indicator for power
- 1 x LED indicator for activity
- 4 x RGB LED illumination
- 1 x switch for LED
- 1 x switch for fan
- Dimensions M.2 board (LxWxH): ca. 99 x 47 x 13 mm
- Cable length: ca. 10 cm

Package content

- Adapter
- Extension 30 mm to 80 mm
- Extension 42 mm to 80 mm
- Extension 60 mm to 80 mm
- Dust cover
- M.2 mounting material
- Screwdriver
- User manual

Images



General

Function:	Bootable, ex UEFI 2.3.1
Mounting type:	magnetic
Specification:	M.2 PCI Express 3.0
LED indicator:	6 x
Style:	Flat cable
Supported module:	M.2 modules in format 2280, 2260 and 2242 with key M or key B+M based on PCIe
Maximum height of the components on the module:	1.5 mm application of double-sided assembled modules supported

Interface

Connector 1:	1 x PCI Express x4 male
Connector 2:	1 x M.2 key M slot

Physical characteristics

Cable length:	10 cm
Length:	99 mm
Width:	47 mm
Height:	13 mm
Colour:	black

Manufacturer information

Street	Beeskowdamm 13/15
Postal code	14167
City	Berlin
Country	Deutschland
E-Mail	info@delock.de
Website	www.delock.de