


# M.2 Key M to 1 x OCuLink SFF-8611 Converter with 45 cm cable

## Description

This converter by Delock expands the system by one **OcuLink SFF-8611 interface**. An SSD, for example, can be connected to this port. The converter transmits PCI Express signals using the **NVMe** protocol. Through the predetermined breaking point, the length can be shortened from 80 mm to 60 or 42 mm.



**Item no. 64360**

EAN: 4043619643608

Country of origin: China

Package: Box

## Technical details

- Connectors:
  - 1 x M.2 key M male
  - 1 x OCuLink SFF-8611 male
- Interface: PCIe x4 Rev. 4.0
- Form factor: M.2 2280 (2260, 2242)
- Suitable for M.2 slot with key M based on PCIe
- Bootable, ex UEFI version 2.3.1
- Supports NVM Express (NVMe)
- Dimensions (LxWxH): ca. 80 x 22 x 2 mm
- Cable length: ca. 45 cm

## Package content

- Converter M.2 to SFF-8611
- User manual

## Images



## General

Form factor:	M.2 2280
Function:	Bootable, ex UEFI 2.3.1
Slot:	PCIe x4 Rev. 4.0

## Interface

Connector 1:	1 x M.2 key M male
Connector 2:	1 x OcuLink SFF-8611 male

## Physical characteristics

Cable length:	45 cm
Length:	80 mm
Width:	22 mm
Height:	2 mm

## Manufacturer information

---

Street	Beeskowdamm 13/15
Postal code	14167
City	Berlin
Country	Deutschland
E-Mail	info@delock.de
Website	www.delock.de