


Adapter M.2 Key M male to M.2 Key M slot - port saver and extension

Description

This adapter by Delock can be used as a port saver in order to prevent the M.2 interface from damage when it is under **usage for high contact durability**. In addition, the adapter is ideally suited as a **carrier and extension for M.2 modules** in the test laboratory.

SATA and NVMe support

Both M.2 SSDs with NVMe protocol and SATA protocol can be used with the adapter.



Item no. 64367

EAN: 4043619643677

Country of origin: China

Package: Box


Technical details

- Connectors:
1 x M.2 key M male
1 x M.2 key M slot
- Form factor: M.2 22110
- Supports M.2 modules in format 2280, 2260, 2242 and 2230 with key M or key B+M based on SATA or PCIe (NVMe)
- Maximum height of the components on the module: 1.5 mm, application of double-sided assembled modules supported
- Compatible to PCI Express V4.0
- Supports NVM Express (NVMe)
- Bootable
- Dimensions (LxWxH): ca. 110 x 22 x 4 mm

Package content

- Adapter
- Mounting material

Images



General

Form factor:	M.2 22110
Function:	NVM Express (NVMe) bootable
Specification:	PCI Express 4.0
Maximum height of the components on the module:	1.5 mm application of double-sided assembled modules supported

Interface

Connector 1:	1 x M.2 key M male
Connector 2:	1 x M.2 key M slot

Physical characteristics

Length:	110 mm
Width:	22 mm
Height:	4 mm

Manufacturer information

Street	Beeskowdamm 13/15
Postal code	14167
City	Berlin
Country	Deutschland
E-Mail	info@delock.de
Website	www.delock.de

