

Front Panel 3.5" USB 10 Gbps 2 x USB Type-C™ + 2 x USB Type-A

Description

This front panel by Delock can be installed into a free **3.5" bay** of a computer. It has **two USB Type-A and two USB Type-C™ ports**. It will be connected to the motherboard internally via a **USB key A male** port.



Item no. 64369

EAN: 4043619643691

Country of origin: China

Package: Retail Box

Technical details

- Connectors:
 - external:
 - 2 x USB 10 Gbps USB Type-C™ female
 - 2 x USB 10 Gbps Type-A female
 - internal:
 - 1 x USB 10 Gbps Type-A female
 - 1 x SATA 15 pin plug (power supply)
- Chipset: VIA VL822
- Data transfer rate up to 10 Gbps
- Electrical power per port:
 - USB Type-C™: max. 15 watt (5 V / 3 A)
 - USB Type-A: max. 4.5 watt (5 V / 0.9 A)
- 2 x Jumper for setting the power supply via USB or SATA power connector
- 3.5" metal frame
- Colour: black
- Hot Swap, Plug & Play

System requirements

- Linux Kernel 6.11 or above
- Windows 10/10-64/11

- PC with one free 3.5" bay
- Motherboard with a free USB type-E Key A female port
- Power supply with SATA 15 pin receptacle

Package content

- 3.5" front panel
- Cable USB Type-A male to USB type-E key A male, length ca. 50 cm
- Screws
- User manual

Images



General

Function:	Hot Swap Plug & Play
Supported operating system:	Windows 10 32-Bit Windows 10 64-Bit Windows 11 Linux Kernel 6.11 or above

Interface

External:	2 x USB 10 Gbps USB Type-C™ female 2 x USB 10 Gbps Type-A female
Internal:	1 x SATA 15 pin plug 1 x USB 10 Gbps Type-A female

Technical characteristics

Electrical power per port:	USB Type-C™: max. 15 watt (5 V / 3 A) USB Type-A: max. 4.5 watt (5 V / 0.9 A)
Chipset:	VIA VL822
Data transfer rate:	10 Gbps

Physical characteristics

Colour:	black
---------	-------

Manufacturer information

Street	Beeskowdamm 13/15
Postal code	14167
City	Berlin
Country	Deutschland
E-Mail	info@delock.de
Website	www.delock.de

