

Adapter SMC jack 90° angled PCB

Description

This adapter by Delock is suitable for connecting components of radio frequency technology.



Item no. 65851

EAN: 4043619658510

Country of origin: China

Package: Zip poly bag

Technical details

- Connector: 1 x SMC Female port 90° angled PCB
- Housing material: brass gold plated
- Impedance: 50 Ohm
- Frequency range: DC - 6 GHz
- VSWR: 1.3 / 3 GHz
- Operating temperature: -55 °C ~ 155 °C
- Dimensions (LxWxH): ca. 15.1 x 6.5 x 12.7 mm


System requirements

- Device with a free SMC port

Package content

- RF Adapter

Images



Interface

Connector:	1 x SMC Female port 90° angled PCB
------------	------------------------------------

Technical characteristics

Frequency range:	DC - 6 GHz
Impedance:	50 Ω
Operating temperature:	-55 °C ~ 155 °C
VSWR:	1.3 / 3 GHz

Physical characteristics

Housing material:	brass gold plated
Length:	15.1 mm
Width:	6.5 mm
Height:	12.7 mm

Manufacturer information

Street	Beeskowdamm 13/15
Postal code	14167
City	Berlin
Country	Deutschland
E-Mail	info@delock.de
Website	www.delock.de