

USB 5 Gbps hub 20 pin header female to 1 x USB 5 Gbps 20 pin header male connector and Type-E Key A female

Description

This hub by Delock allows the simultaneous use of two internal USB 5 Gbps 20 pin connectors and an additional Type-E Key A female via a single 20 pin header connector on the motherboard. Ideal for expanding internal USB connectors for front panel ports or internal devices.



Item no. 67343

EAN: 4043619673438

Country of origin: China

Package: Zip poly bag

Technical details

- Connectors:
 - 1 x USB 5 Gbps 20 pin pin header female
 - 1 x USB 5 Gbps type-E Key A 20 pin female
 - 1 x USB 5 Gbps 20 pin header male
- Chipset: Genesys Logic GL3510
- Pitch: 1.54 mm
- Data transfer rate up to 5 Gbps
- Voltage: max. 5 V
- Current: max. 0.9 A
- Dimensions (LxWxH): ca. 41.5 x 38.1 x 7.0 mm

Package content

- Adapter

Images



Interface

Connector 1:	1 x USB 5 Gbps 20 pin pin header female
Connector 2:	2 x USB 5 Gbps 20 pin header male 19 pin coded
Connector 3:	1 x USB 5 Gbps type-E Key B 20 pin female

Technical characteristics

Chipset:	Genesys Logic GL3510
Data transfer rate:	5 Gbps
Maximum current:	max. 0.9 A
Voltage supply:	5 V

Physical characteristics

Pitch distance:	2.54 mm
Length:	41.5 mm
Width:	38.1 mm
Height:	7.0 mm

Manufacturer information

Street	Beeskowdamm 13/15
Postal code	14167
City	Berlin
Country	Deutschland
E-Mail	info@delock.de
Website	www.delock.de