

Axial Fan 48 V DC, 92 x 92 x 25 mm with 4 pin PWM fan connector female black

Description

This axial fan by Delock is ideal for reliable use in industrial applications, electronic devices, control cabinets, and other technical fields where generated heat must be safely dissipated. Because it operates at 48 V, the fan is particularly well-suited for professional and industrial systems, as this voltage is commonly used in such environments and ensures a reliable power supply.



Item no. 67452

EAN: 4043619674527

Country of origin: China

Package: Zip poly bag


Technical details

- Connector: 1 x 4 pin PWM fan connector female
- Fan type: axial
- Bearing type: ball bearing
- Fan speed (RPM): 2900 rpm
- Noise level: max. 34.6 dBA
- Air flow: max. 72.6 m³/h
- Rated voltage: 48 V / DC
- Rated current: 0.07 A
- Rated power: 3.36 W
- Mounting type: screw mounting
- Screw type: M4
- Mounting hole diameter: ca. 4.4 mm
- Pitch of screw hole: ca. 82.5 mm
- Operating temperature: -10 °C ~ 70 °C
- Material housing: plastic
- Material fan blades: plastic
- Colour housing: black
- Colour fan blades: black
- Length connection cable: ca. 30 cm
- Length: ca. 92 mm
- Width: ca. 92 mm
- Height: ca. 25 mm

Package content

- DC-axial fan

Images



General

Fan type:	Axial
Mounting type:	Screw mounting
Bearing type:	Kugellager
Fan speed (RPM):	2900 U/min
Noise level:	34,6 dBA
Air flow:	72.6 m ³ /h

Interface

Connector:	4 pin PWM fan connector female
------------	--------------------------------

Technical characteristics

Rated voltage:	48 V / DC
Rated power:	3.36 W
Rated current:	0.07 A
Operating temperature:	-10 °C ~ 70 °C

Physical characteristics

Material fan blades:	Plastic
Colour housing:	black
Colour fan blades:	black
Length connection cable:	ca. 30 cm
Pitch of screw hole:	ca. 82.5 mm
Material body:	Plastic
Length:	92 mm
Width:	92 mm
Height:	25 mm

Colour:	black
Mounting hole diameter:	4.4 mm

Manufacturer information

Street Beeskowdamm 13/15
Postal code 14167
City Berlin
Country Deutschland
E-Mail info@delock.de
Website www.delock.de

