

Radial Fan / Blower Fan 12 V DC 40 x 40 x 20 mm with 3 pin fan connector, black

Description

The radial fan by Delock offers a powerful yet space-saving cooling solution for electronic applications. It generates a targeted, high-pressure airflow and is ideal for tight installation spaces, air ducts, and the reliable cooling of heat-loaded electronic components.



40 x 40 x 20 mm

Item no. 67489

EAN: 4043619674893

Country of origin: China

Package: Zip poly bag


Technical details

- Connector: 1 x 3 pin fan connector female
- Fan type: radial
- Bearing type: double ball bearing
- Fan speed (RPM): 5500 rpm
- Noise level: max. 27.6 dBA
- Air flow: max. 3.0 m³/h
- Rated voltage: 12 V / DC
- Rated current: 0.10 A
- Rated power: 1.2 W
- Mounting type: screw mounting
- Mounting hole diameter: ca. 3.4 mm
- Pitch of screw hole: ca. 35.0 mm
- Operating temperature: -10 °C ~ 70 °C
- Material housing: plastic
- Colour housing: black
- Length connection cable: ca. 30 cm
- Length: ca. 40 mm
- Width: ca. 40 mm
- Height: ca. 20 mm

Package content

- Radial fan

Images



General

Mounting type:	Screw mounting
Fan type:	Radial
Bearing type:	double ball bearing
Fan speed (RPM):	5500 rpm
Air flow:	3.0 m ³ /h
Noise level:	27.6 dBA

Interface

Connector:	1 x 3 pin fan connector female
------------	--------------------------------

Technical characteristics

Rated current:	0.10 A
Rated voltage:	12 V / DC
Rated power:	1.2 W
Operating temperature:	-10 °C ~ 70 °C

Physical characteristics

Length:	40 mm
Width:	40 mm
Height:	20 mm
Colour:	black

Manufacturer information

Street	Beeskowdamm 13/15
Postal code	14167
City	Berlin
Country	Deutschland
E-Mail	info@delock.de
Website	www.delock.de

