

# Radial Fan / Blower Fan 12 V DC 50 x 50 x 15 mm with 3 pin fan connector, black

## Description

The radial fan by Delock offers a powerful yet space-saving cooling solution for electronic applications. It generates a targeted, high-pressure airflow and is ideal for tight installation spaces, air ducts, and the reliable cooling of heat-loaded electronic components.



50 x 50 x 15 mm

**Item no. 67490**

EAN: 4043619674909

Country of origin: China

Package: Zip poly bag

## Technical details


- Connector: 1 x 3 pin fan connector female
- Fan type: radial
- Bearing type: double ball bearing
- Fan speed (RPM): 5000 rpm
- Noise level: max. 28.2 dBA
- Air flow: max. 4.2 m<sup>3</sup>/h
- Rated voltage: 12 V / DC
- Rated current: 0.10 A
- Rated power: 1.2 W
- Mounting type: screw mounting
- Mounting hole diameter: ca. 4.4 mm
- Pitch of screw hole: ca. 58.0 mm
- Operating temperature: -10 °C ~ 70 °C
- Material housing: plastic
- Colour housing: black
- Length connection cable: ca. 30 cm
- Length: ca. 50 mm
- Width: ca. 50 mm
- Height: ca. 15 mm

## Package content

- Radial fan

---

## Images



### General

Mounting type:	Screw mounting
Fan type:	Radial
Bearing type:	double ball bearing
Fan speed (RPM):	5000 rpm
Air flow:	4.2 m <sup>3</sup> /h

### Interface

Connector:	1 x 3 pin fan connector female
------------	--------------------------------

### Technical characteristics

Rated current:	0.10 A
Rated voltage:	12 V / DC
Rated power:	1.2 W
Operating temperature:	-10 °C ~ 70 °C

### Physical characteristics

Length:	50 mm
Width:	50 mm
Height:	15 mm
Colour:	black

### Manufacturer information

---

Street	Beeskowdamm 13/15
Postal code	14167
City	Berlin
Country	Deutschland
E-Mail	info@delock.de
Website	www.delock.de

