

Radial Fan / Blower Fan 12 V DC 75 x 75 x 25 mm with 3 pin fan connector, black

Description

The radial fan by Delock offers a powerful yet space-saving cooling solution for electronic applications. It generates a targeted, high-pressure airflow and is ideal for tight installation spaces, air ducts, and the reliable cooling of heat-loaded electronic components.



75 x 75 x 25 mm

Item no. 67494

EAN: 4043619674947

Country of origin: China

Package: Zip poly bag


Technical details

- Connector: 1 x 3 pin fan connector female
- Fan type: radial
- Bearing type: double ball bearing
- Fan speed (RPM): 3500 rpm
- Noise level: max. 43.3 dBA
- Air flow: max. 18.0 m³/h
- Rated voltage: 12 V / DC
- Rated current: 0.25 A
- Rated power: 3.0 W
- Mounting type: screw mounting
- Mounting hole diameter: ca. 4.5 mm
- Pitch of screw hole: ca. 82.0 mm
- Operating temperature: -10 °C ~ 70 °C
- Material housing: plastic
- Colour housing: black
- Length connection cable: ca. 30 cm
- Length: ca. 75 mm
- Width: ca. 75 mm
- Height: ca. 25 mm

Package content

- Radial fan

Images



General

Mounting type:	Screw mounting
Fan type:	Radial
Bearing type:	double ball bearing
Fan speed (RPM):	3500 rpm
Air flow:	18.0 m ³ /h
Noise level:	43.3 dBA

Interface

Connector:	1 x 3 pin fan connector female
------------	--------------------------------

Technical characteristics

Rated voltage:	12 V / DC
Rated current:	0.25 A
Rated power:	3.0 W
Operating temperature:	-10 °C ~ 70 °C

Physical characteristics

Material body:	Plastic
Length:	75 mm
Width:	75 mm
Height:	25 mm
Colour:	black

Manufacturer information

Street	Beeskowdamm 13/15
Postal code	14167
City	Berlin
Country	Deutschland
E-Mail	info@delock.de

Website

www.delock.de

