

# Radial Fan / Blower Fan 12 V DC 97 x 94 x 33 mm with 3 pin fan connector, black

## Description

The radial fan by Delock offers a powerful yet space-saving cooling solution for electronic applications. It generates a targeted, high-pressure airflow and is ideal for tight installation spaces, air ducts, and the reliable cooling of heat-loaded electronic components.



97 x 94 x 33 mm

**Item no. 67496**

EAN: 4043619674961

Country of origin: China

Package: Zip poly bag

## Technical details


- Connector: 1 x 3 pin fan connector female
- Fan type: radial
- Bearing type: double ball bearing
- Fan speed (RPM): 3000 rpm
- Noise level: max. 47.0 dBA
- Air flow: max. 27.6 m<sup>3</sup>/h
- Rated voltage: 12 V / DC
- Rated current: 0.35 A
- Rated power: 4.2 W
- Mounting type: screw mounting
- Mounting hole diameter: ca. 4.5 mm
- Pitch of screw hole: ca. 100.0 mm
- Operating temperature: -10 °C ~ 70 °C
- Material housing: plastic
- Colour housing: black
- Length connection cable: ca. 30 cm
- Length: ca. 97 mm
- Width: ca. 94 mm
- Height: ca. 33 mm

## Package content

- Radial fan

---

## Images



## General

Mounting type:	Screw mounting
Fan type:	Radial
Bearing type:	double ball bearing
Fan speed (RPM):	3000 rpm
Air flow:	27,6 m <sup>3</sup> /h
Noise level:	47.0 dBA

## Interface

Connector:	1 x 3 pin fan connector female
------------	--------------------------------

## Technical characteristics

Rated voltage:	12 V / DC
Rated current:	0.35 A
Rated power:	4.2 W
Operating temperature:	-10 °C ~ 70 °C

## Physical characteristics

Material body:	Plastic
Length:	97 mm
Width:	94 mm
Height:	33 mm
Colour:	black

## Manufacturer information

Street	Beeskowdamm 13/15
Postal code	14167
City	Berlin
Country	Deutschland
E-Mail	info@delock.de

Website

[www.delock.de](http://www.delock.de)

