

Radiallüfter / Lüftergebläse 12 V DC 120 x 120 x 33 mm mit 3-Pin Lüfteranschluss, schwarz

Description

The radial fan by Delock offers a powerful yet space-saving cooling solution for electronic applications. It generates a targeted, high-pressure airflow and is ideal for tight installation spaces, air ducts, and the reliable cooling of heat-loaded electronic components.



120 x 120 x 33 mm

Item no. 67497

EAN: 4043619674978

Country of origin: China

Package: Zip poly bag


Technical details

- Connector: 1 x 3 pin fan connector female
- Fan type: radial
- Bearing type: double ball bearing
- Fan speed (RPM): 2500 rpm
- Noise level: max. 45.9 dBA
- Air flow: max. 37.2 m³/h
- Rated voltage: 12 V / DC
- Rated current: 0.50 A
- Rated power: 6.0 W
- Mounting type: screw mounting
- Mounting hole diameter: ca. 4.4 mm
- Pitch of screw hole: ca. 104.0 mm
- Operating temperature: -10 °C ~ 70 °C
- Material housing: plastic
- Colour housing: black
- Length connection cable: ca. 30 cm
- Length: ca. 120 mm
- Width: ca. 120 mm
- Height: ca. 32 mm

Package content

- Radial fan

Images



General

Mounting type:	Screw mounting
Fan type:	Radial
Bearing type:	double ball bearing
Fan speed (RPM):	2500 rpm
Air flow:	37.2 m ³ /h
Noise level:	45.9 dBA

Interface

Connector:	1 x 3 pin fan connector female
------------	--------------------------------

Technical characteristics

Rated voltage:	12 V / DC
Rated current:	0.50 A
Rated power:	6.0 W
Operating temperature:	-10 °C ~ 70 °C

Physical characteristics

Material body:	Plastic
Length:	120 mm
Width:	120 mm
Height:	32 mm
Colour:	black

Manufacturer information

Street	Beeskowdamm 13/15
Postal code	14167
City	Berlin
Country	Deutschland
E-Mail	info@delock.de

Website

www.delock.de

