

Riser Card PCI Express 5.0 x16 male to x16 slot with cable 20 cm

Description

This PCI Express riser card by Delock is used to connect a **PCI Express x16 card**. The PCI Express 5.0 riser cable increases the performance and flexibility of the system. This **high-quality cable** enables the spatial repositioning of the PCIe card, ideal for individual case adaptations, vertical GPU mounts or compact PC cases.

PCIe 5.0 Support

Data transfer rates of **up to 32 GT/s** are possible for maximum performance. The PCIe 5.0 interface is backwards compatible with PCIe 4.0, 3.0 and older standards.



20 cm

Item no. 81289

EAN: 4043619812899

Country of origin: China

Package: White Box


Technical details

- Connectors:
 - 1 x PCI Express x16 male
 - 1 x PCI Express x16 slot 90° angled
- Supports PCI Express 5.0 protocol
- Cable gauge: 29 AWG
- Colour: black
- OS independent, no driver installation necessary
- Cable length: ca. 20 cm

Package content

- PCIe riser card

Images



General

Specification:	PCI Express 5.0
----------------	-----------------

Interface

Connector 1:	1 x PCI Express x16 male
Connector 2:	1 x PCI Express x16 slot

Physical characteristics

Cable gauge:	29 AWG
Length:	20 cm
Colour:	black

Manufacturer information

Street	Beeskowdamm 13/15
Postal code	14167
City	Berlin
Country	Deutschland
E-Mail	info@delock.de
Website	www.delock.de