

5G LTE MIMO Antenna 2 x N jack 2.7 - 9.0 dBi directional wall and pole mounting outdoor white

Description

This 5G antenna by Delock allows the usage of different 5G bands inside and outside.

5G the new mobile radio standard

5G unlike its predecessors LTE (4G) and UMTS (3G) will use more and wider frequency spectrums. The 5G standard promises more throughput, capacity and low latency.



Item no. 81465

EAN: 4043619814657

Country of origin: Taiwan,
Republic of China

Package: Box

Technical details

- Connector: 2 x N jack
- Frequency range:
698 - 960 MHz
1710 - 2690 MHz
3300 - 5000 MHz
- Antenna gain: 2.7 - 9.0 dBi
- Impedance: 50 Ohm
- VSWR:
- Polarisation: linear, dual polarisation
- Operating temperature: -40 °C ~ 85 °C
- Housing material: PC
- Protection class: IP67
- Colour: white
- Weight: ca. 1.33 kg
- Dimensions (LxWxH): ca. 250.0 x 250.0 x 32.2 mm


System requirements





- Device with free N connectors

Package content

- Antenna
- Mounting material

Images





General

Mounting type:	wall pole
Protection class:	IP67
Suitable for outdoor:	yes

Interface

Connector 1:	1 x N female
Connector 2:	1 x N female

Technical characteristics

Frequency range:	1710 - 2690 MHz 3300 - 5000 MHz 698 - 960 MHz
Antenna gain:	2.7 - 9.0 dBi
Impedance:	50 Ohm
VSWR:	< 2.5 - < 5.0

Physical characteristics

Antenna type:	patch
Housing material:	PC
Weight:	1.33 kg
Length:	250 mm
Width:	250 mm
Height:	32.2 mm

Manufacturer information

Street	Beeskowdamm 13/15
Postal code	14167
City	Berlin
Country	Deutschland

E-Mail	info@delock.de
Website	www.delock.de