


Delock Riser Card PCI Express 3.0 x4 male to U.2 SFF-8639 SSD slot 90° angled with cable 30 cm

Description

This PCI Express riser card by Delock is used to connect a **SSD with U.2 interface**. The flexible cable allows a space-saving installation inside the computer case.



30 cm

Item no. 81506

EAN: 4043619815067

Country of origin: China

Package: Box

Technical details

- Connectors:
 - 1 x PCI Express x4 male
 - 1 x U.2 SFF-8639 female
- Supports PCI Express 3.0 protocol
- Cable gauge: 28 AWG
- Colour: black
- OS independent, no driver installation necessary
- Cable length: ca. 30 cm


System requirements

- PC with one free PCI Express x4 / x8 / x16 / x32 slot
- A free U.2 SFF-8639 interface

Package content

- PCIe riser card

Images



General

Specification:	PCI Express 3.0
Style:	Flat cable

Interface

Connector 1:	1 x PCI Express x4 male
Connector 2:	1 x U.2 SFF-8639 female

Physical characteristics

Cable length:	30 cm
Colour:	black

Herstellerinformation

Strasse	Beeskowdamm 13/15
PLZ	14167
Ort	Berlin
Land	Deutschland
E-Mail	info@delock.de
Webseite	www.delock.de