

Twinax Cable QSFP+ male to QSFP+ male 40 Gbps 1 m

Description

This Twinax cable by Delock is used to connect devices to a switch with a QSFP+ port or to connect two Ethernet switches.



Item no. 84241

EAN: 4043619842414

Country of origin: China

Package: Antistatic cover

Technical details

- Connectors:
2 x QSFP+ male
- Passive, low power consumption
- Data transfer rate:
10 Gigabit Ethernet up to 10 Gbps
40 Gigabit Ethernet up to 40 Gbps
- Supports IEEE 802.3ba
- Compatible with QSFP+ MSA, SFF-8679
- Hot Plug
- Operating temperature: 0 °C ~ 70 °C
- Cable gauge: 30 AWG
- Colour: black
- Cable diameter: ca. 4.5 mm
- Cable length: ca. 1 m

System requirements

- A free QSFP+ interface

Package content

- Twinax Cable

Images



General

Style:	both sides identical
--------	----------------------

Interface

Connector 1:	1 x QSFP+ male
Connector 2:	1 x QSFP+ male

Technical characteristics

Data transfer rate:	Gigabit Ethernet up to 10 Gbps Gigabit Ethernet up to 40 Gbps
Operating temperature:	0 °C ~ 70 °C

Physical characteristics

Cable gauge:	30 AWG
Length:	1 m
Colour:	black
Cable diameter:	4.5 mm

Manufacturer information

Street	Beeskowdamm 13/15
Postal code	14167
City	Berlin
Country	Deutschland
E-Mail	info@delock.de
Website	www.delock.de

