

Cable Connector DC 5.5 x 2.1 mm female to DC 5.5 x 2.1 mm female with M20 x 1.5 mm thread and protective cap with housing compatible with Starlink IP68 dust and waterproof

Description

This cable connector by Delock is ideal for providing a reliable power supply to Starlink devices.

With additional housing

The housing can be screwed to the female port and enables a waterproof connection, e.g. outdoors.

IP68 dust and waterproof

The sealing cap protects the DC female port from moisture, damage and dirt in outdoor areas when not in use.



Item no. 87180

EAN: 4043619871803

Country of origin: China

Package: Zip poly bag

Technical details

- Connectors:
 - 1 x DC 5.5 x 2.1 mm female
 - 1 x DC 5.5 x 2.1 mm female
- Thread size: M20 x 1.5 mm
- Built-in hole Ø: 20.8 mm
- Suitable for connecting Starlink devices
- Current: max. 5 A
- Voltage: max. 12 - 36 V
- Shielded
- Silicone sealing ring green
- With sealing cap and housing
- Operating temperature: -40 °C ~ 105 °C
- Protection class: IP68
- Housing material: PA66
- Colour: black
- Dimensions (LxWxH): ca. 125 x 26 x 26 mm

Package content

- Cable connector

Images



General

Protection class:	IP68
-------------------	------

Interface

Connector 1:	1 x DC 5.5 x 2.1 mm female
Connector 2:	1 x DC 5.5 x 2.1 mm female

Technical characteristics

Operating temperature:	-40 °C ~ 105 °C
------------------------	-----------------

Physical characteristics

Material:	PA66
Shielding:	shielded
Colour:	black
Thread type:	M20

Manufacturer information

Street	Beeskowdamm 13/15
Postal code	14167
City	Berlin
Country	Deutschland
E-Mail	info@delock.de
Website	www.delock.de

