

Cable Connector X-shape with clamp connection 3 pin, IP68 waterproof, cable diameter 5 - 9 mm, incl. seal for 9 - 12 mm, tool-free black

Description

This cable connector by Delock is ideal for connecting cables with a diameter of 5 - 9 mm and ensures a waterproof connection in outdoor areas. The package also includes gaskets for cable diameters of 9 - 12 mm, allowing the connector to be flexibly adapted to different cable sizes.

With clamp connection - tool-free installation

The innovative clamp connection ensures a secure and durable connection. The high contact force guarantees a reliable and stable electrical connection. Tool-free assembly allows for easy and time-saving installation.

IP68 dust and waterproof

The cable connector offers increased protection against dirt and moisture for the connection of power cables in outdoor areas.



Item no. 87247

EAN: 4043619872473

Country of origin: China

Package: Zip poly bag


Technical details

- Connectors:
 - 1 x 3 pin female
 - 1 x 3 pin female
 - 1 x 3 pin female
 - 1 x 3 pin female
- Rated voltage: 450 V
- Current: max. 24 A
- Protection class: IP68
- For cable diameter from 5 - 9 mm incl. seals for 9 -12 mm
- Suitable for cables with a cable gauge of ca. 0.5 - 2.5 mm²
- Silicone sealing ring black
- Operating temperature: -40 °C ~ 105 °C
- Fire-resistance rating: UL94V-0
- Material: PA66
- Colour: black
- Dimensions (LxWxH): ca. 115 x 70 x 25 mm

Package content

- Cable connector
- 4 x seal 9 - 12 mm

Images



General

Protection class:	IP68
-------------------	------

Interface

Connector 1:	1 x 3 pin female
Connector 2:	1 x 3 pin female
Connector 3:	1 x 3 pin female
Connector 4:	1 x 3 pin female

Technical characteristics

Operating temperature:	-40 °C ~ 105 °C
------------------------	-----------------

Physical characteristics

Length:	115 mm
Width:	70 mm
Height:	25 mm
Colour:	black

Manufacturer information

Street	Beeskowdamm 13/15
Postal code	14167
City	Berlin
Country	Deutschland
E-Mail	info@delock.de
Website	www.delock.de

