

# Twinax Cable QSFP28 male to QSFP28 male 100 Gbps 1 m

## Description

This Twinax cable by Delock is used to connect devices to a switch with a QSFP28 port or to connect two Ethernet switches.



**Item no. 87551**

EAN: 4043619875511

Country of origin: China

Package: Antistatic cover

## Technical details

- Connectors:  
2 x QSFP28 male
- Passive, low power consumption
- Data transfer rate:  
10 Gigabit Ethernet up to 10 Gbps  
40 Gigabit Ethernet up to 40 Gbps  
100 Gigabit Ethernet up to 100 Gbps
- Supports IEEE 802.3bj
- Compatible with QSFP28 MSA, SFF-8636
- Hot Plug
- Operating temperature: 0 °C ~ 70 °C
- Cable gauge: 30 AWG
- Colour: black
- Cable diameter: ca. 4.5 mm
- Cable length: ca. 1 m

## System requirements

- A free QSFP28 interface

---

## Package content

- Twinax Cable

---

## Images



### General

Style:	both sides identical
--------	----------------------

### Interface

Connector 1:	1 x QSFP28 male
Connector 2:	1 x QSFP28 male

### Technical characteristics

Data transfer rate:	Gigabit Ethernet up to 100 Gbps Gigabit Ethernet up to 10 Gbps Gigabit Ethernet up to 40 Gbps
Operating temperature:	0 °C ~ 70 °C

### Physical characteristics

Cable gauge:	30 AWG
Length:	1 m
Colour:	black
Cable diameter:	4.5 mm

### Manufacturer information

Street	Beeskowdamm 13/15
Postal code	14167
City	Berlin
Country	Deutschland
E-Mail	info@delock.de
Website	www.delock.de

