

Adapter SMC jack > SMC plug > SMA jack T-Shape

Description

This adapter by Delock is suitable for connecting components of radio frequency technology.



Item no. 89629

EAN: 4043619896295

Country of origin: China

Package: Zip poly bag

Technical details

- Connectors:
 - 1 x SMC jack
 - 1 x SMC plug
 - 1 x SMA jack
- Housing material: brass gold plated
- Impedance: 50 Ohm
- Frequency range: DC - 6 GHz
- VSWR: 1.45 / 1 GHz
- Operating temperature: -55 °C ~ 155 °C
- Dimensions (LxWxH): ca. 22 x 6.5 x 13.6 mm

System requirements

- Device with a free SMC port

Package content

- RF Adapter

Technical drawing of a 10.32x16x25 mm ball bearing. The drawing shows the bearing with its dimensions: 10.32x16x25, 72, 90.65, 14-36UNS-2A, and 10.32x16x25. The part number 10.32x16x25 is also shown.

Interface

Connector 1:	1 x SMC jack
Connector 2:	1 x SMC plug
Connector 3:	1 x SMA jack

Technical characteristics

Frequency range:	DC - 6 GHz
Impedance:	50 Ω
Operating temperature:	-55 °C ~ 155 °C
VSWR:	1.45 / 1 GHz

Physical characteristics

Housing material:	brass gold plated
Length:	22 mm
Width:	6.5 mm
Height:	13.6 mm

Manufacturer information

Street	Beeskowdamm 13/15
Postal code	14167
City	Berlin
Country	Deutschland
E-Mail	info@delock.de
Website	www.delock.de