




Delock PCI Express Card > 2 x Gigabit LAN

Description

The PCI Express card by Delock offers two network ports with a data transfer rate up to 1000 Mbps.



Specification

- Connectors:
 - external: 2 x Gigabit LAN RJ45 jack
 - internal: 1 x PCI Express x4, V2.1
- Chipset: Intel i350
- Data transfer rate:
 - Ethernet up to 10 Mbps
 - Fast Ethernet up to 100 Mbps
 - Gigabit Ethernet up to 1000 Mbps
 - PCI Express x1 up to 4 Gbps
- Supports IEEE 802.3 / 802.3u / 802.3z / 802.3ab
- Supports IEEE 802.3az (Energy Efficient Ethernet)
- Supports Wake On LAN (WOL)
- Supports IEEE 802.1Q Virtual LAN (VLAN)
- Supports 9k Jumbo Frames
- Supports PXE

System requirements

- Linux Kernel 2.6 or above
- Windows 7/7-64/8.1/8.1-64/10/10-64
- Windows Server-2012 R2/Server 2016
- PC with one free PCI Express x4 / x8 / x16 / x32 slot

Package content

- PCI Express card
- Low profile bracket
- Driver CD
- User manual

Item no. 89945


EAN: 4043619899456

Country of origin: China

Package: White Box



Images





General

Supported operating system:	Windows 7 32-bit
	Windows 7 64-bit
	Windows 8.1 32-bit
	Windows 8.1 64-bit
	Windows 10 32-bit
	Windows 10 64-bit
	Windows Server 2012 R2
	Windows Server 2016
	Linux Kernel 2.6 or above

Interface

External:	2 x Gigabit LAN RJ45 jack
Internal:	1 x PCI Express x4, V2.1

Technical characteristics

Chipset:	Intel® i350
Data transfer rate:	Ethernet up to 10 Mbps
	Fast Ethernet up to 100 Mbps
	Gigabit Ethernet up to 1 Gbps

Physical characteristics

Slot bracket:	low profile
	standard