


Delock USB 5 Gbps PCI Express x1 Card to 5 x external Type-A + 2 x external USB Type-C™ female

Description

This PCI Express card by Delock expands the PC by **five external Type-A** and **two external USB Type-C™** ports. Different USB devices such as USB flash memory, card reader, external enclosure etc. can be connected. A maximum data transfer rate of up to 5 Gbps can be reached.



Power supply via PCI Express interface

The card does **not need an additional power supply**. The power is supplied exclusively via the PCI Express interface.

Item no. 90346

EAN: 4043619903467

Country of origin: China

Package: Box

Technical details

- Connectors:
external:
5 x USB 5 Gbps Type-A female
2 x USB 5 Gbps USB Type-C™ female
internal:
1 x PCI Express x1, V2.0
- Chipset: VIA VL817, Fresco Logic FL1100
- Data transfer rate up to 5 Gbps
- Power supply via PCI Express interface
- Electrical power per port: max. 5 watt (5 V / 1 A)
- Supports eXtensible Host Controller Interface (xHCI) specification 1.1
- Supports UASP
- Supports Multiple INs
- Bootable

System requirements

- Linux Kernel 6.5 or above
- Windows 10/10-64/11
- PC with one free PCI Express slot

Package content

- PCI Express card USB 5 Gbps
- User manual

Images



General

Function:	bootable
Supported operating system:	Windows 10 32-Bit Windows 10 64-Bit Windows 11 Linux Kernel 6.5 or above

Interface

External:	2 x USB 5 Gbps USB Type-C™ female 5 x USB 5 Gbps Type-A female
Internal:	1 x PCI Express x1, V2.0

Technical characteristics

Chipset:	Fresco Logic FL1100 VIA VL817
Data transfer rate:	5 Gbps

Herstellerinformation

Strasse	Beeskowdamm 13/15
PLZ	14167
Ort	Berlin
Land	Deutschland
E-Mail	info@delock.de
Webseite	www.delock.de