


Delock PCI Express 4.0 x4 Card to 1 x NVMe M.2 Key M 110 mm or U.2 Slot

Description

This PCI Express card by Delock expands the PC by one **M.2 or U.2 slot**. One M.2 module in 22110, 2280, 2260, 2242 or 2230 format or an U.2 SSD in 2.5" format can be connected to the card.



Item no. 90854

EAN: 4043619908547

Country of origin: China

Package: Box




Technical details

- Connectors:
 - 1 x M.2 key M slot
 - 1 x U.2 SFF-8639 female
 - 1 x PCI Express x4, V4.0
 - 1 x 2 pin LED pin header male
- Interface: PCIe / NVMe
- Supports M.2 modules in format 22110, 2280, 2260, 2242 and 2230 with key M or key B+M based on PCIe
- Maximum height of the components on the module: 1.5 mm, application of double-sided assembled modules supported
- Supports NVM Express (NVMe)
- Bootable, ex UEFI version 2.3.1
- Supports S.M.A.R.T.
- Supports TRIM
- It can only be used one memory, not both at the same time
- 1 x jumper for CLKREQ selection (pin E4 or P3)

Package content

- PCI Express card
- Screws
- User manual

Images



General

Function:	Bootable, ex UEFI 2.3.1 TRIM S.M.A.R.T.
Slot:	PCIe
Supported module:	M.2 modules in format 22110, 2280, 2260, 2242 and 2230 with key M or key B+M based on PCIe
Maximum height of the components on the module:	1.5 mm application of double-sided assembled modules supported

Interface

Internal:	1 x 2 pin LED pin header male 1 x U.2 SFF-8639 female 1 x PCI Express x4, V4.0 1 x M.2 key M slot
-----------	--

Manufacturer information

Street	Beeskowdamm 13/15
Postal code	14167
City	Berlin
Country	Deutschland
E-Mail	info@delock.de
Website	www.delock.de