


PCI Express x4 Card to 1 x internal USB 20 Gbps Type-E Key A - Low Profile Form Factor

Description

This PCI Express card by Delock expands the PC by one internal USB 20 Gbps Type-E key A female port. Various cables can be connected to the card, to provide either one USB Type-C™ or one USB Type-A interface.

Power supply via PCI Express interface

The card does not need an additional power supply. The power is supplied exclusively via the PCI Express interface.



Item no. 91070

EAN: 4043619910700

Country of origin: China

Package: Box

Technical details

- Connectors:
internal:
1 x USB 20 Gbps type-E Key A female
1 x PCI Express x4, V3.0
- Chipset: Asmedia ASM3242
- Data transfer rate up to 20 Gbps
- Power supply via PCI Express interface
- Supports eXtensible Host Controller Interface (xHCI) specification 1.1
- Compliant with USB Attached SCSI Protocol (UASP) Rev. 1.0
- Bootable


System requirements

- Linux Kernel 6.8 or above
- Windows 10/10-64/11
- PC with one free PCI Express x4 / x8 / x16 / x32 slot

Package content

- PCI Express card
- Low profile bracket
- User manual

Images



General

Form factor:	Low Profile
Function:	bootable
Supported operating system:	Windows 10 32-Bit Windows 10 64-Bit Windows 11 Linux Kernel 6.8 or above

Interface

Internal:	1 x PCI Express x4, V3.0 1 x USB 20 Gbps type-E Key A female
-----------	---

Technical characteristics

Power supply:	Power supply via PCI Express interface
Chipset:	Asmedia ASM3242
Data transfer rate:	20 Gbps

Manufacturer information

Street	Beeskowdamm 13/15
Postal code	14167
City	Berlin
Country	Deutschland
E-Mail	info@delock.de
Website	www.delock.de

