

Serial RS-232 Connection Cable D-Sub 9 pin male to JST XH 4 pin header female 25 cm

Description

This serial cable by Delock enables reliable data transmission via RS-232 interfaces. It is ideal for industrial control systems such as PLCs, microcontroller boards and serial devices

Please Note

Different applications need different pin assignments.



25 cm

Item no. 91277

EAN: 4043619912773

Country of origin: China

Package: Zip poly bag

Technical details

- Connectors:
 - 1 x serial RS-232 D-Sub 9 pin male with nuts
 - 1 x JST XH 4 pin header female
- Cable gauge: 24 AWG
- Pitch: 2.54 mm
- Pin assignment:
 - JST XH 4 pin pin header female to D-Sub 9 pin RS-232 male
 - pin 1 - pin 5 GND
 - pin 2 - pin 2 RXD
 - pin 3 - pin 3 TXD
 - pin 4 - pin 1 DCD
- Material: PVC
- Colour: black
- Cable length without connectors: ca. 25 cm

Package content

- Serial cable

Images



Interface

Connector 1:	1 x serial RS-232 D-Sub 9 Pin male with nuts
Connector 2:	1 x 4 pin pin header female

Physical characteristics

Pitch distance:	2.54 mm
Cable gauge:	24 AWG
Material:	PVC
Length:	25 cm
Colour:	black

Manufacturer information

Street Beeskowdamm 13/15
 Postal code 14167
 City Berlin
 Country Deutschland
 E-Mail info@delock.de
 Website www.delock.de

