

# Serial RS-232 Connection Cable D-Sub 9 female to JST XH 4 pin header female 25 cm

## Description

This serial cable by Delock enables reliable data transmission via RS-232 interfaces. It is ideal for industrial control systems such as PLCs, microcontroller boards and serial devices

## Please Note

Different applications need different pin assignments.



25 cm

**Item no. 91290**

EAN: 4043619912902

Country of origin: China

Package: Zip poly bag

## Technical details

- Connectors:
  - 1 x serial RS-232 D-Sub 9 pin female with screws
  - 1 x JST XH 4 pin header female
- Cable gauge: 24 AWG
- Pitch: 2.54 mm
- Pin assignment:
  - JST XH 4 pin pin header female to D-Sub 9 pin RS-232 female
  - pin 1 - pin 5 GND
  - pin 2 - pin 2 RXD
  - pin 3 - pin 3 TXD
  - pin 4 - pin 1 DCD
- Material: PVC
- Colour: black
- Cable length without connectors: ca. 25 cm

## Package content

- Serial cable

## Images



### Interface

Connector 1:	1 x serial RS-232 D-Sub 9 Pin male with nuts
Connector 2:	1 x 4 pin pin header female

### Physical characteristics

Pitch distance:	2.54 mm
Cable gauge:	24 AWG
Material:	PVC
Length:	25 cm
Colour:	black

### Manufacturer information

Street Beeskowdamm 13/15  
 Postal code 14167  
 City Berlin  
 Country Deutschland  
 E-Mail info@delock.de  
 Website www.delock.de

