


Delock Mini PCIe I/O PCIe full size 2 x Serial RS-232 with voltage supply 5 V / 12 V

Description

This Mini PCIe card by Delock expands your system by two additional RS-232 ports. This allows various serial devices like printer, POS systems and modems to be connected to the computer.

Optional voltage supplies via RS-232

Connected devices can optionally be supplied with voltages of 5 V or 12 V.



Item no. 95276

EAN: 4043619952762

Country of origin: China

Package: Box

Technical details

- Connectors:
 - external:
 - 2 x serial D-Sub 9 pin male
 - internal:
 - 1 x Mini PCI Express, Rev. 1.2
 - 2 x 10 pin pin header
 - 1 x Floppy 4 pin male
- Chipset: WCH382L
- Form factor: Mini PCIe full size
- Data transfer rate up to 460.8 Kbps
- FIFO: 2 x 256 byte
- Databits: 5, 6, 7, 8
- Stop bits: 1, 2
- Parity: even, odd, none, mark, space
- Flow control: none, hardware RTS / CTS, software XON / XOFF
- Signals: DCD, TxD, RxD, RTS, CTS, DTR, DSR, GND, RI/12V/5V
- Jumper setting RI or 5 V / 12 V on pin 9
- Electrical power per port: max. 20 watt (5 V / 4 A)
- Electrical power per port: max. 48 watt (12 V / 4 A)

- Cable length incl. connectors: ca. 25 cm
- Dimensions (LxWxH): ca. 51 x 30 x 10 mm


System requirements

- Windows 10/10-64/11
- Windows Server 2022
- Motherboard with a free Mini PCIe slot with a PCIe interface

Package content

- Mini PCIe module
- 2 serial connection cable
- 1 x standard bracket
- 2 x low profile bracket
- User manual

Images



General

Form factor:	Mini PCIe full size
Supported operating system:	Windows 10 32-Bit Windows 10 64-Bit Windows 11 Windows Server 2022

Interface

Connector 1:	1 x Mini PCI Express, Rev. 1.2
Connector 2:	2 x 10 pin pin header

Technical characteristics

Data flow control:	RTS / CTS
Chipset:	WCH CH382L
Data transfer rate:	2 x up to 230,4 Kbps
FIFO:	4 x 265 Byte
Interface output:	RS-232
UART:	16C550 16C552 16C554 16C750
Data bits:	5, 6, 7, 8
Stop bits:	1, 2

Physical characteristics

Cable length incl. connector:	25 cm
-------------------------------	-------

Herstellerinformation

Strasse	Beeskowdamm 13/15
PLZ	14167
Ort	Berlin
Land	Deutschland

E-Mail	info@delock.de
Webseite	www.delock.de