


Mini PCIe I/O full size Card to 8 x Serial RS-232 DB9 with Standard and Low Profile slot brackets

Description

This Mini PCIe card by Delock expands your system by eight additional RS-232 ports. This allows various serial devices like printer, POS systems and modems to be connected to the computer.



Item no. 95283

EAN: 4043619952830

Country of origin: China

Package: Box

Technical details

- Connectors:
 - external:
 - 8 x serial D-Sub 9 pin male
 - internal:
 - 1 x Mini PCI Express, PCIe 2.0 Gen 1
 - 8 x 9 pin pin header male
- Chipset: MaxLinear XR17V358 + WS3243FCQ
- Form factor: Mini PCIe full size
- Data transfer rate up to 921.6 Kbps
- FIFO:
 - 8 x 256 Byte - RX
 - 8 x 256 Byte - TX
- Databits: 5, 6, 7, 8
- Stop bits: 1, 2
- Parity: even, odd, none, mark, space
- Flow control: none, hardware RTS / CTS or DTR / DSR, software XON / XOFF
- Signals: DCD, TxD, RxD, RTS, CTS, DTR, DSR, GND, RI
- Cable length incl. connectors: ca. 30 cm
- Dimensions (LxWxH): ca. 51 x 30 x 7 mm

System requirements

- Linux Kernel 2.6.32 or above
- Windows 10/10-64/11
- Motherboard with a free Mini PCIe slot with a PCIe interface

Package content

- Mini PCIe module
- 8 x serial connecting cable (ca. 30 cm)
- 4 x standard bracket
- 8 x low profile bracket
- User manual

Images



General

Form factor:	Mini PCIe full size
Supported operating system:	Windows 10 32-Bit Windows 10 64-Bit Windows 11 Linux Kernel 2.6.32 or above

Interface

Connector 1:	1 x Mini PCI Express, Rev. 2.0
Connector 2:	8 x 9 pin pin header

Technical characteristics

Data flow control:	RTS / CTS or DTR / DSR
Chipset:	Exar 17V358
Data transfer rate:	921.6 Kbps
FIFO:	8 x 256 Byte receive 8 x 256 Byte transmit
Interface:	PCI Express
Interface output:	RS-232
Data transmission:	asynchronous full duplex
UART:	16C550
Data bits:	5, 6, 7, 8
Stop bits:	1, 2

Physical characteristics

Cable length incl. connectors:	30 cm
--------------------------------	-------

Manufacturer information

Street Beeskowdamm 13/15
Postal code 14167

City	Berlin
Country	Deutschland
E-Mail	info@delock.de
Website	www.delock.de

